

Prace polarne Wydziału Nauk o Ziemi Uniwersytetu Śląskiego w latach 2007-2017, w czasopismach indeksowanych w bazie Web of Science

- 1) Araźny A., Migała K., Sikora S., **Budzik T.** 2010: Meteorological and biometeorological conditions in the Hornsund area (Spitsbergen) during warm season. Polish Polar Research 31(3), 217-238.
- 2) Barry R.G., **Jania J.**, Birkenmajer K. 2011: A.B. Dobrowolski – the first cryospheric scientist – and the subsequent development of cryospheric science. History of Geo-and Space Sciences 2, 75-79.
- 3) **Błaszczyk M.**, **Jania J.**, Hagen J.O. 2009: Tidewater glaciers of Svalbard: Recent changes and estimates of calving fluxes. Polish Polar Research 30(2), 85-142.
- 4) **Błaszczyk M.**, **Jania J.A.**, **Kolondra L.** 2013: Fluctuations of tidewater glaciers in Hornsund Fiord (Southern Svalbard) since the beginning of the 20th century. Polish Polar Research. 34(4), 327-352.
- 5) Borysiak J., Grześ M., **Pulina M.**, Szpikowska G. 2015: Hydrogeochemical and biogeochemical processes in Kaffiøya River catchments (Spitsbergen, Norway). Questiones Geographicae 34(2), 111-124.
- 6) **Bukowska-Jania E.** 2007. The role of glacier system in migration of calcium carbonate on Svalbard. Polish Polar Research 28(2), 137-155.
- 7) **Bystrowska M.**, Wigger K., Liggett D. 2017: The Use of Information and Communication Technology (ICT) in Managing High Arctic Tourism Sites: A Collective Action. Resources-Basel 6(3), 33, DOI: 10.3390/resources6030033.
- 8) Cinque L., Cossu R., Mansutti D., Spitaleri R.M., **Błaszczyk M.**: Tuning of level-set algorithm for speckled image segmentation. Pattern Analysis and Applications 19, 1081–1092.
- 9) **Dobiński W.** 2010: Geophysical characteristics of permafrost in the Abisko area, northern Sweden. Polish Polar Research 31(2), 141-158.
- 10) **Dobiński W.** 2011: Permafrost. Earth-Science Reviews 108, 158-169.
- 11) **Dobiński W.** 2012: The concept of cryo-conditioning in landscape evolution – comment to the paper published by Ivar Berthling and Bernd Etzelmüller. Quaternary Research 77, 211-212.
- 12) **Dobiński W.** 2012: The cryosphere and Glacial Permafrost as its Integral Component. Central European Journal of Geosciences 4(4), 623-640
- 13) **Dobiński W.**, **Grabiec M.**, **Gądek B.** 2011: Spatial relationship in interaction between glacier and permafrost in different mountainous environments of high and mid latitudes, based on GPR research. Geological Quarterly 55(4), 15-27. (<https://gq.pgi.gov.pl/article/view/7690>)
- 14) **Dobiński W.**, **Grabiec M.**, **Glazer M.** 2017: Cold temperate transition surface and permafrost base (CTS-PB) as an environmental axis in glacier-permafrost relationship, based on research carried on the Storglaciären and its forefield, northern Sweden. Quaternary Research (doi: [10.1017/qua.2017.65](https://doi.org/10.1017/qua.2017.65))
- 15) Dolnicki P., **Grabiec M.**, Puczko D., Gawor Ł., **Budzik T.**, Klementowski J. 2013: Variability of temperature and thickness of permafrost active layer at coastal sites of Svalbard. Polish Polar Research 34(4), 353-374. (<https://doi.org/10.2478/popore-2013-0026>)
- 16) Fürst J.J., Gillet-Chaulet F., Benham T.J., Dowdeswell J.A., **Grabiec M.**, Navarro F., Pettersson R., Moholdt G., Nuth Ch. Sass B., Aas K., Fettweis X., Lang Ch., Seehaus T., Braun M. 2017: Application of two-step approach for mapping ice thickness to various glacier types. The Cryosphere 11, 2003-2032. (<https://doi.org/10.5194/tc-11-2003-2017>)
- 17) Glowacki O., Deane G.B., Moskalik M., Blondel P., Tegowski J., **Błaszczyk M.** 2015: Underwater acoustic signatures of glacier calving. Geophysical Research Letters 42(3), 804-812

- 18) **Grabiec M., Budzik T.**, Głowacki P. 2012: Modelling and Hindcasting of the Mass Balance of Werenskioldbreen (Southern Svalbard). *Arctic, Antarctic, and Alpine Research*, 44(2), 164-179. (<http://dx.doi.org/10.1657/1938-4246-44.2.164>)
- 19) **Grabiec M., Ignatiuk D., Jania J.A.**, Moskalik M., Głowacki P., **Błaszczyk M., Budzik T.**, Walczowski W. 2017: Coast formation in an Arctic area due to glacier surge and retreat: the Hornbreen – Hambergbreen case from Spitsbergen. *Earth Surface Processes and Landforms* (doi: [10.1002/esp.4251](https://doi.org/10.1002/esp.4251))
- 20) **Grabiec M., Jania J.**, Puczko D., **Kolondra L., Budzik T.** 2012: Surface and bed morphology of Hansbreen, a tidewater glacier in Spitsbergen. *Polish Polar Research* 38(2), 111-138. (<https://doi.org/10.2478/v10183-012-0010-7>)
- 21) **Grabiec M.**, Puczko D., **Budzik T.**, Gajek G. 2011: Snow distribution patterns on Svalbard glaciers derived from radio-echo soundings. *Polish Polar Research* 32(4) 393-421. (<https://doi.org/10.2478/v10183-011-0026-4>)
- 22) Gulley J. D., **Grabiec M.**, Martin J. B., **Jania J.**, Catania G., Głowacki P. 2012: The effect of discrete recharge by moulin and heterogeneity in flow-path efficiency at glacier beds on subglacial hydrology. *Journal of Glaciology* 58(211), 926-940. (<https://doi.org/10.3189/2012JoG11J189>)
- 23) **Ignatiuk D., Piechota A.M., Ciepły M.**, Luks B. 2014: Changes of altitudinal zones of Werenskioldbreen and Hansbreen in period 1990 – 2008, Svalbard, AIP Conference Proceedings 1618, 275 (2014); doi: [10.1063/1.4897727](https://doi.org/10.1063/1.4897727).
- 24) Isaksen K., Nordli O., Forland E.J., **Łupikasza E.**, Eastwood S., **Niedźwiedź T.** 2016: Recent warming on Spitsbergen. Influence of atmospheric circulation and sea ice. *Journal of Geophysical Research-Atmospheres* 121(20), 11913-11931.
- 25) Karasiński G., Posyniak M., Bloch M., Sobolewski P., **Małarzewski Ł.** 2014: Lidar observations of volcanic dust over Polish Polar Station at Hornsund after eruptions of Eyjafjallajokull and Grimsvotn. *Acta Geophysica* 62(2), 316-339.
- 26) Kies A., Nawrot A., Tosheva Z., **Jania J.** 2011: Natural radioactive isotopes in glacier meltwater studies. *Geochemical Journal* 45(6), 423-429.
- 27) Kasprzak M., Strzelecki M.C., Traczyk A., **Kondracka M.**, Lim M., Migala K. 2016: On the potential for a bottom active layer below coastal permafrost: the impact of seawater on permafrost degradation imaged by electrical resistivity tomography (Hornsund, SW Spitsbergen), *Geomorphology* 293, 347-359.
- 28) Kozak K., Kozioł K., Luks B., Chmiel S., **Ruman M.**, Marc M., Namiesnik J., Polkowska Ż. 2015: The role of atmospheric precipitation in introducing contaminants to the surface waters of the Fuglebekken catchment, Spitsbergen. *Polar Research* 34, 24207, DOI: [10.3402/polar.v34.24207](https://doi.org/10.3402/polar.v34.24207).
- 29) Kozak K., Polkowska Ż., **Ruman M.**, Kozioł K., Namiesnik J. 2013: Analytical studies on the environmental state of the Svalbard Archipelago provide a critical source of information about anthropogenic global impact. *Trac-Trends in Analytical Chemistry* 50, 107-126.
- 30) Kozak K., Polkowska Ż., Stachnik Ł., Luks B., Chmiel S., **Ruman M.**, Lech D., Kozioł K., Tsakovski S., Simeonov V. 2016: Arctic catchment as a sensitive indicator of the environmental changes: distribution and migration of metals (Svalbard). *International Journal of Environmental Science and Technology* 13(12), 2779-2796.
- 31) Kozak K., **Ruman M.**, Kosek K., Karasiński G., Stachnik Ł., Polkowska Ż. 2017: Impact of volcanic eruptions on the occurrence of PAHs Compounds in the aquatic ecosystem of the southern part of West Spitsbergen (Hornsund Fjord, Svalbard). *Water* 9(1), 42, DOI: [10.33390/w9010042](https://doi.org/10.33390/w9010042).
- 32) **Krawczyk W.E.**, Bartoszewski S. 2008: Crustal solute fluxes and transient carbon dioxide drawdown in the Scottbreen Basin, Svalbard in 2002. *Journal of Hydrology* 362, doi:[10.1016/j.jhydrol.2008.08.025](https://doi.org/10.1016/j.jhydrol.2008.08.025), 206-219.

- 33) **Krawczyk W.E.**, Pettersson L-E. 2007. Chemical denudation rates and carbon dioxide drawdown in an ice-free polar karst catchment: Londonelva, Svalbard. *Permafrost and Periglacial Processes* 18, 337-350.
- 34) **Krawczyk W.E.**, Bartoszewski S., Siwek K. 2008: Rainfall chemistry at Calypsobyen, Svalbard. *Polish Polar Research* 29(2), 149-162.
- 35) **Laska M.**, **Barzycka B.**, **Luks B.** 2017: Melting characteristics of snow cover on tidewater glaciers in Hornsund Fjord, Svalbard. *Water* 9(10), 804, DOI: 10.3390/w9100804.
- 36) **Laska M.**, **Grabiec M.**, **Ignatiuk D.**, **Budzik T.** 2017: Snow deposition patterns on southern Spitsbergen glaciers, Svalbard, in relation to recent meteorological conditions and local topography. *Geografiska Annaler: Series A, Physical Geography* 99(3): 262-287. (<http://dx.doi.org/10.1080/04353676.2017.1327321>)
- 37) **Laska M.**, Luks B., **Budzik T.** 2016: Influence of snowpack internal structure on snow metamorphism and melting intensity on Hansbreen, Svalbard, *Polish Polar Research* 37(2), 193-218.
- 38) **Łupikasza E.**, Lipiński O., 2017: Cloud cover over Spitsbergen and its relation to atmospheric circulation (1983-2015). *Geographia Polonica* 90(1), 21-38.
- 39) **Majchrowska E.**, **Ignatiuk D.**, **Jania J.**, Marszałek H., Wąsik M. 2015: Seasonal and interannual variability in runoff from the Werenskioldbreen catchment, Spitsbergen. *Polish Polar Research* 36(3), 197-224.
- 40) Martin-Espanol A., Navarro F.J., Otero J., Lapazaran J.J., **Blaszczyk M.** 2015: Estimate of the total volume of Svalbard glaciers, and their potential contribution to sea-level rise, using new regionally-based scaling relationships. *Journal of Glaciology* 61(225), 29-41.
- 41) Moskalik M., **Blaszczyk M.**, **Jania J.** 2014: Statistical analysis of Brepollen bathymetry as a key to determine average depths on a glacier foreland. *Geomorphology* 206, 262–270.
- 42) Navarro F.J., Martin-Espanol A., Lapazaran J.J., **Grabiec M.**, Otero J., Vasilenko E.V., Puczko D. 2014: Ice volume estimates from ground-penetrating radar surveys, Wedel Jarlsberg Land glaciers, Svalbard. *Arctic Antarctic and Alpine Research* 46(2), 394-406. (<http://dx.doi.org/10.1657/1938-4246-46.2.394>)
- 43) Ntougias S., Polkowska Ż., Nikolaki S., Dionysopoulou E., Stathopoulou P., Doudoumis V., **Ruman M.**, Kozak K., Namiesnik J., Tsiamis G. 2016: Bacterial community structures in freshwater Polar environment of Svalbard. *Microbes and Environments* 31(4), 401-409.
- 44) Oerlemans J., **Jania J.**, **Kolondra L.** 2011: Application of a minimal glacier model to Hansbreen, Spitsbergen. *The Cryosphere* 5, 1-11.
- 45) **Opała M.**, Migała K., Owczarek P. 2016: Two centuries-long dendroclimatic reconstruction based on Low Arctic Betula pubescens from Tromsø Region, Northern Norway. *Polish Polar Research* 37(4), 457-476.
- 46) Owczarek P., Latocha A., **Wistuba M.**, **Malik I.** 2013: Reconstruction of modern debris flow activity in the arctic environment with the use of dwarf shrubs (south-western Spitsbergen – a new dendrochronological approach. *Zeitschrift fur Geomorfologie* 57, 75-95.
- 47) Owczarek P., Nawrot A., Migała K., **Malik I.**, Korabiewski B. 2014: Flood-plain responses to contemporary climat change in small High-Arctic basins (Svalbard, Norway). *Boreas* 43(2): 384-402.
- 48) Owczarek P., **Opała M.** 2016: Dendrochronology and extreme pointer years in the tree-ring record (AD 1951-2011) of polar willow from southwestern Spitsbergen (Svalbard, Norway). *Geochronometria* 44(1), 84-95.

- 49) Pętlicki M., Ciepty M., Jania J., Promińska A., Kinnard C. 2015: Calving of a tidewater Glacier driver by melting at the waterline. *Journal of Glaciology*, 61(229), 851-863.
- 50) Pohjola V.A., Christoffersen P., Kolondra L., Moore J.C., Pettersson R., Schäfer M., Strozzi T., Reijmer C.H. 2011: Spatial distribution and change in the surface ice-velocity field of Vestfonna Ice Cap, Nordaustlandet, Svalbard, 1995–2010 using geodetic and satellite interferometry data. *Geografiska Annaler: Series A, Physical Geography* 93(4), 323 – 335.
- 51) Polkowska Ż., Cichała-Kamrowska K., Ruman M., Kozioł K., Krawczyk W.E., Namiesnik J. 2011: Organic Pollution in Surface Waters from the Fuglebekken Basin in Svalbard, Norwegian Arctic. *Sensors* 11(9), 8910-8929.
- 52) Przybylak R., Araźny A., Nordli Ø., Finkelburg R., Kejna M., Budzik T., Migala K., Sikora S., Puczko D., Rymer K., Rachlewicz G. 2014: Spatial distribution of air temperature on Svalbard during 1 year with campaign measurements. *International Journal of Climatology* 34, 3702–3719. doi: 10.1002/joc.3937
- 53) Salamon M.A., Gorzelak P., Hanken N.-M., Erevik H., Ferre B. 2015: Crinoids from Svalbard in the aftermath of the end-Permian mass extinction. *Polish Polar Research* 36, 225–238.
- 54) Senderak K., Kondracka M., Gądek B. 2017: Talus slope evolution under the influence of glaciers with the example of slopes near the Hans Glacier, SW Spitsbergen, Norway. *Geomorphology* 285, 225-234.
- 55) Ruman M., Kozak K., Lehmann S., Kozioł K., Polkowska Ż. 2012: Pollutants present in different components of the Svalbard Archipelago environment. *Ecological Chemistry and Engineering Chemia i Inżynieria Ekologiczna* 19(4), 571-584.
- 56) Sauter T., Möller M., Finkelburg R., Grabiec M., Scherer D., Schneider C. 2013: Snowdrift modelling for Vestfonna ice cap, north-eastern Svalbard, *The Cryosphere* 7: 1287-1301, (doi:10.5194/tc-7-1287-2013, <http://www.the-cryosphere.net/7/1287/2013>).
- 57) Stachnik Ł., Yde J.C., Kondracka M., Ignatiuk D., Grzesik M. 2016: Glacier naled evolution and relation to the subglacial drainage system based on water chemistry and GPR surveys (Werenskioldbreen, SW Svalbard). *Annals of Glaciology* 57(72), 19-30.
- 58) Stachnik Ł., Majchrowska E., Yde J.C., Nawrot A., Cichała-Kamrowska K., Ignatiuk D., Piechota A. 2016: Chemical denudation and the role of sulfide oxidation at Werenskioldbreen, Svalbard. *Journal of Hydrology* 538, 177–193
- 59) Wegner C., Bennett K.E., de Vernal A., Forwick M., Fritz M., Heikkilä M., Łacka M., Lantuit H., Laska M., Moskalik M., O'Regan M., Pawłowska J., Promińska A., Rachold V., Vonk J.E., Werner K. 2015: Variability in transport of terrigenous material on the shelves and the deep Arctic Ocean during the Holocene. *Polar Research* 34, 1-19.
- 60) Zagórski P., Rodzik J., Moskalik M., Strzelecki M., Lim M., Błaszczyk M., Romińska A., Kruszewski G., Styczyńska A., Malczewski A. 2015: Multidecadal (1960–2011) shoreline changes in Isbjørnhamna (Hornsund, Svalbard). *Polish Polar Research* 36(4), 369–390.
- 61) Zemp M., Frey H., Gärtner-Roer I., Nussbaumer S.U., Hoelzle M., Paul F., Haeberli W., Denzinger F., Ahlstrøm A.P., Anderson B., Bajracharya S., Baroni C., Braun L.N., Cáceres B.E., Casassa G., Cobos G., Dávila L.R., Delgado Granados H., Demuth M.N., Espizua L., Fischer A., Fujita K., Gądek B., Ghazanfar A., Hagen J.O., Holmlund P., Karimi N., Li Z., Pelto M., Pitte P., Popovnin V.V., Portocarrero C.A., Prinz R., Sangewar Ch.V., Severskiy I., Sigurðsson O., Soruco A., Usualiev R., Vincent Ch. 2015: Historically unprecedented global glacier decline in the early 21st century. *Journal of Glaciology* 61(228), 745-762.